





KARTA PRODUKTOWA

60° punch 100T/M 10.174







KARTA PRODUKTOWA

Press Brake Punch

Punch 10.174

Upper Tool for Sheet-Metal Bending — 60° / R7.50 / 100 t/m

Punch 10.174 is an upper tool for press brakes, designed for producing parts with a sharp bending angle of **60°**. The rounded working tip with a radius of **R7.50** allows a gentler material bending radius.

According to the technical drawing, the maximum tool load is **100 tonnes per metre**. The punch has an upper width of **27 mm**, an overall height of **97 mm** and the indicated working dimension of **63 mm**.

10.174 Punch Profile Designation

100 t/m Maximum Tool Load

60° Tip Working Angle

R7,50 Working Tip Radius

Punch for Sharp Bends with a Larger Tip Radius.

Profile 10.174 is suitable for producing parts requiring a 60° angle, high load capacity and an R7.50 bending radius at the working tip.

Key Features

Key Features of Punch 10.174

01

Profil 10.174

Tool profile designation according to the presented technical drawing.

02

100 t/m Load Capacity

The maximum permissible tool load is 100 tonnes per metre of length.

03

60° Angle

The tool geometry enables sharp bends at a 60° angle.

04



KARTA PRODUKTOWA

R7.50 Radius

The working tip with an R7.50 radius allows a gentler bending radius.

05

97 mm Height

The overall profile height is 97 mm according to the technical drawing.

06

63 mm Working Dimension

The drawing indicates a 63 mm working dimension, important when selecting the tool.

Technical Parameters

Technical Specification of Punch 10.174

Parameter	Value from Drawing
Tool Type	Punch / upper tool for press brake
Profile Designation	10.174
Maximum Load	100 t/m
Working Angle	60°
Tip Radius	R7,50
Upper Profile Section Width	27 mm
Overall Profile Height	97 mm
Working Dimension	63 mm
Additional Profile Dimension	5 mm

The data was prepared based on the technical drawing. Before purchase, it is worth checking whether punch profile 10.174 is compatible with the mounting system and requirements of the specific press brake.